




# ADLIS SMART PLATFORM / APP CLOUD / HOSTING SERVER



—  
We Don't Make The Future, We Make The Future Better




2021









**ADLIS/WEIYIN CORP.**

# SMART CITY

## A new generation Street furniture


 **ADLIS WEIYIN Corporation**

  
**Digital Business  
Service Platform**

  
**Product ETA  
System**

  
**Dynamic  
Light Box**


  
**Battery Function  
Management**


  
**LED Content  
Management**

  
**LED Scrolling  
Light Box**


  
**Solar System  
Management**

  
**USB/WIRELESS  
Charging**


  
**Face  
Recognition**


  
**Compleat Sensor  
Control System**


  
**Sensor Control  
Temperature**


  
**Access Control  
Alarm Function**


  
**Power Failure  
Alarm Function**


  
**Full State Fault  
Detection**

  
**Dehumidification  
Function**


  
**Display  
Brightness 3000**


  
**Video Function  
Monitoring**

  
**LCD Content  
Management**

  
**NFC Payment  
Function**

  
**Glass Alarm  
Breakage**

  
**Passenger  
Alarm Function**

  
**Digital Display  
Management**

  
**Announcement  
Function**


  
**WIFI Router  
Gateway**

  
**APP Adlis Smart**

  
**Failure Report  
System**

  
**Touch Screen  
Management**

  
**Smart Voice  
Information**

  
**Smart Sharing  
Service Platform**

  
**MPPT Function  
Management**



ign

Solar Charger  
Bicycle Shelter

Fanless Display  
for Information  
and advertising  
37 Inch

Led Screen  
For Advertising

LED Light Box  
1 or 2 windows

LCD Screen  
for Information  
and advertising

Smart Voices  
Information

Fanless Display  
for Information  
and advertising  
65 Inch

Stretched Display  
Information or  
Advertising


Poster with paper  
or E-paper display


Smart Touch Digital  
Signage

Seating With sensors  
USB and Wireless




- PLATFORM
- APP
- INFO
- WIRELESS
- LED LIGHT
- ROUTER
- SOLAR
- ECOLOGY
- TTS VOICE
- SENSOR
- USB
- FAN
- WIFI
- CAMERA
- LED SCREEN
- WPC
- PARKING
- CHARGER
- STEEL
- TOUCH SCREEN
- TV DISPLAY
- PARKING
- NFC
- QR CODE
- GPS
- SMART VOICE
- MUSIC
















COMMERCIAL VALUE


The New Way Of Advertising  
More Environment And More Personalized


LED


i





























GOLDSWEYN CORPORATION  
New Smart Furniture  
2021  
GOLDSWEYN  
We Don't Make The Future, We Make The Future Better

New Smart Furniture  
2021  
GOLDSWEYN  
We Don't Make The Future, We Make The Future Better




ADLIS/WEIYIN CORPORATION

# New Smart Furniture


## 2021



**ADLIS WEIYIN**  
We Don't Make The Future, We Make The Future Better














**1- We choose a normal bench on the street to change it to a Smart solar bench without changing it, and without the cost of putting a new one.**












DEPARTURES

Time	Destination	Platform	Status
12:15	STATION	1	ON TIME
12:15	STATION	2	ON TIME
12:15	STATION	3	ON TIME
12:15	STATION	4	ON TIME
12:15	STATION	5	ON TIME
12:15	STATION	6	ON TIME
12:15	STATION	7	ON TIME
12:15	STATION	8	ON TIME
12:15	STATION	9	ON TIME
12:15	STATION	10	ON TIME
12:15	STATION	11	ON TIME
12:15	STATION	12	ON TIME
12:15	STATION	13	ON TIME
12:15	STATION	14	ON TIME
12:15	STATION	15	ON TIME
12:15	STATION	16	ON TIME
12:15	STATION	17	ON TIME
12:15	STATION	18	ON TIME
12:15	STATION	19	ON TIME
12:15	STATION	20	ON TIME

DEPARTURES

Time	Destination	Platform	Status
12:15	STATION	1	ON TIME
12:15	STATION	2	ON TIME
12:15	STATION	3	ON TIME
12:15	STATION	4	ON TIME
12:15	STATION	5	ON TIME
12:15	STATION	6	ON TIME
12:15	STATION	7	ON TIME
12:15	STATION	8	ON TIME
12:15	STATION	9	ON TIME
12:15	STATION	10	ON TIME
12:15	STATION	11	ON TIME
12:15	STATION	12	ON TIME
12:15	STATION	13	ON TIME
12:15	STATION	14	ON TIME
12:15	STATION	15	ON TIME
12:15	STATION	16	ON TIME
12:15	STATION	17	ON TIME
12:15	STATION	18	ON TIME
12:15	STATION	19	ON TIME
12:15	STATION	20	ON TIME











Bottles  
Cans

(Trash Only)

Newspapers And Magazines Recycling

ADLIS

ADLIS

ADLIS

i-cloud bin


INDUCTIVE INPUT WINDOW




# Smart Furniture Integrated Management Platform

1


Smart Furniture ETA System



System Interface

2


Smart Furniture Integrated Management Software



System Interface

3

Mobile APP Software




APP Interface

# Smart Furniture Integrated Management Platform


1

## Smart Furniture Maintenance Management Software



2

## Mobile Maintenance Management APP



APP Interface

# Information Interaction Interface

Partly cloudy 28°C PM2.5/ Excellent 58%/Humidity

**13:50**  
2021-06-23

Site

- WYC1802
- WYS1818
- WYS1808
- WYC1917
- WYC1821

**ADLIS/WEIYIN**

FURNITURE

- WIFI
- DEVICES
- ENERGY
- ENTERTAINMENT
- REPORTS
- SETTING

Partly cloudy 28°C PM2.5/ Excellent 58%/Humidity

**SMART CITY**  
A new generation Street furniture

**ADLIS WEIYIN Corporation**

Digital Business Service Platform	Product ETA System	Dynamic Light Box	Battery Function Management	LED Content Management	LED Scrolling Light Box
Solar System Management	USB/WIRELESS Charging	Face Recognition	Complet Sensor Control System	Sensor Control Temperature	Access Control Alarm Function
Power Failure Alarm Function	Full State Fault Detection	Dehumidification Function	Display Brightness 3000	Video Function Monitoring	LCD Content Management
NFC Payment Function	Glass Alarm Breakage	Passenger Alarm Function	Digital Display Management	Announcement Function	WIFI Router Gateway
APP Adlis Smart	Failure Report System	Touch Screen Management	Smart Voice Information	Smart Sharing Service Platform	MPPT Function Management

**13:50**  
2021-06-23


Site

- WYC1802
- WYS1818
- WYS1808
- WYC1917
- WYC1821
- WYB2004



**Brooklyn Bridge Park**

MODEL	ALARM	COMPONENTS												
<b>1802</b>		<table border="1"> <tr><td>SENS</td><td>LIGHT</td><td>MPTT</td></tr> <tr><td>SOLAR</td><td>BATTE</td><td>USB</td></tr> <tr><td>WIRER</td><td>TEMP</td><td>VANDL</td></tr> </table>	SENS	LIGHT	MPTT	SOLAR	BATTE	USB	WIRER	TEMP	VANDL			
SENS	LIGHT	MPTT												
SOLAR	BATTE	USB												
WIRER	TEMP	VANDL												
<b>1818</b>		<table border="1"> <tr><td>SENS.</td><td>LIGHT</td><td>MPTT</td></tr> <tr><td>SOLAR</td><td>BATTE.</td><td>USB</td></tr> <tr><td>TOUCH</td><td>TEMP.</td><td>DISPL.</td></tr> <tr><td>LED.SC</td><td>BOX.S</td><td>VAND.</td></tr> </table>	SENS.	LIGHT	MPTT	SOLAR	BATTE.	USB	TOUCH	TEMP.	DISPL.	LED.SC	BOX.S	VAND.
SENS.	LIGHT	MPTT												
SOLAR	BATTE.	USB												
TOUCH	TEMP.	DISPL.												
LED.SC	BOX.S	VAND.												
<b>1808</b>		<table border="1"> <tr><td>SENS.</td><td>LIGHT</td><td>MPTT</td></tr> <tr><td>SOLAR</td><td>BATTE.</td><td>USB</td></tr> <tr><td>TOUCH</td><td>TEMP.</td><td>DISPL.</td></tr> <tr><td>LED.SC</td><td>BOX.S</td><td>VAND.</td></tr> </table>	SENS.	LIGHT	MPTT	SOLAR	BATTE.	USB	TOUCH	TEMP.	DISPL.	LED.SC	BOX.S	VAND.
SENS.	LIGHT	MPTT												
SOLAR	BATTE.	USB												
TOUCH	TEMP.	DISPL.												
LED.SC	BOX.S	VAND.												
<b>1917</b>		<table border="1"> <tr><td>SENS</td><td>LIGHT</td><td>MPTT</td></tr> <tr><td>SOLAR</td><td>BATTE</td><td>USB</td></tr> <tr><td>WIRER</td><td>TEMP</td><td>VANDL</td></tr> </table>	SENS	LIGHT	MPTT	SOLAR	BATTE	USB	WIRER	TEMP	VANDL			
SENS	LIGHT	MPTT												
SOLAR	BATTE	USB												
WIRER	TEMP	VANDL												
<b>1821</b>		<table border="1"> <tr><td>SENS</td><td>LIGHT</td><td>MPTT</td></tr> <tr><td>SOLAR</td><td>BATTE</td><td>USB</td></tr> <tr><td>WIRER</td><td>TEMP</td><td>VANDL</td></tr> </table>	SENS	LIGHT	MPTT	SOLAR	BATTE	USB	WIRER	TEMP	VANDL			
SENS	LIGHT	MPTT												
SOLAR	BATTE	USB												
WIRER	TEMP	VANDL												
<b>2004</b>		<table border="1"> <tr><td>SENS</td><td>LIGHT</td><td>MPTT</td></tr> <tr><td>SOLAR</td><td>BATTE</td><td>USB</td></tr> <tr><td>WIRER</td><td>TEMP</td><td>VANDL</td></tr> </table>	SENS	LIGHT	MPTT	SOLAR	BATTE	USB	WIRER	TEMP	VANDL			
SENS	LIGHT	MPTT												
SOLAR	BATTE	USB												
WIRER	TEMP	VANDL												

# Information Interaction Interface



## *Applications For:*



# All our Smart Products

**We Don't Make The Future, We Make The Future Better.**



# Smart Products Platform



Industrial Grade LCD



Industrial Grade GPRS




Industrial Grade Led



Industrial Grade Touch

## Centralized Control Manager



## Remote Charging Manager




Product ETA System




Digital Business Service Platform



Dynamic Light Box



LED Scrolling Light Box



LCD Content Management



Digital Display Management



Touch Screen Management



APP Adlis Smart



Video Function Monitoring



Full State Fault Detection

## Smart Products Platform

# Management Softwares

01

Data collection service software

Compatible with all Smart products. GPS monitoring platform and Smart scheduling platform data interface, realtime data collection

02

Forecast station integrated information management software

Patent prediction station algorithm, operating experience in more than 70 cities, accuracy up to 98%

03

Health Management Software

It make the running health of the electronic Smart Products clearly controlled

04

Maintain program control software

The professional ERP system for the operation and maintenance of electronic station signs can control the whole process of operation and maintenance, improve the timely rate of operation and maintenance, and ensure the completeness rate of equipment

05

Smart Products/Bus Shelter/Smart Bin data monitoring and analysis software

By analyzing the big data of Smart Products, Smart Bin and public transportation, finds out the factors that affect the accuracy of the reporting station, improves it, and ensures the accuracy of the reporting station data of the electronic Smart Products

06

APP Adlis Smart / platform service software


Through the mobile phone to do bus station declaration data query and electronic station running status monitoring

07

Smart Products route sign intelligent generation software


Intelligent generation of Smart products Line, Smart Bin Lien and bus line signs, and automatic calibration station data corresponding position

Patent prediction station algorithm,  
operating experience in more than  
70 cities, accuracy up to 98%



ID	Name	Status	Type	Date	Action
1	...	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...

ID	Name	Status	Type	Date	Action
1	...	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...



Forecast station integrated information management software

Patent prediction station algorithm,  
operating experience in more than  
70 cities, accuracy up to 98%

The screenshots illustrate the 'LCD Integrated Information' management system. The interface includes a sidebar menu for navigation, a form for data entry, a table for data management, and a dashboard for content management. The dashboard features a grid of content management cards, each with a placeholder image and the text 'TEXT HERE'.

LCD/Touch/Display/TV/LED Screen Content management

# APP Mobile Android/Apple Adlis smart





ADLIS SMART  
CONCEPT


## Welcome to ADLIS Smart Concept Smart App

We Don't Make The Future  
We Make The Future Better


LET'S BEGIN!



# Smart Platform Monitoring System




# APP Platform Monitoring System




# Bus Forecasting Information

Showing real-time information of bus time of arrival with smart voice.



Estimated Time of Arrival

The closest Bus Location and ETA




18   
99   
Bike Charger






06   
09 Bus station

Interchange

# Real-time Bus Road Traffic Condition







Interactive area for information search and advertising

3

Public Videos Pictures

2

Date & Weather Info

1

5 Advertising area  
Bus/Tren/Car Information Dynamic Display

4

6 Full Screen Design



WIFI



NFC PAYMENT



LCD SCREEN DISPLAY




SURVEILLANCE CAMERA



GPS FORECASTING




TEMP CONTROL COOLING SYSTEM




LED/LCD SCREEN




BATTERY CHARGE DISCHARGE



TOUCH SCREEN



CALL LINE



FAULT DETECTION




DOOR ALARMING



TTS VOICE



POWER ALARMING



BROKEN-GLASS ALARMING




HIGH BRIGHTNESS 3000 NIT



DYNAMIC ADVERTISING



AUTOMATIC DEHUMIDIFICATION



LED BACKLIT SCROLLING





WIFI



NFC PAYMENT



LCD SCREEN DISPLAY



SURVEILLANCE CAMERA



GPS FORECASTING




TEMP CONTROL COOLING SYSTEM




LED/LCD SCREEN



BATTERY CHARGE DISCHARGE



TOUCH SCREEN



CALL LINE



FAULT DETECTION




DOOR ALARMING



TTS VOICE



POWER ALARMING



BROKEN-GLASS ALARMING



HIGH BRIGHTNESS 3000 NIT



DYNAMIC ADVERTISING




AUTOMATIC DEHUMIDIFICATION



LED BACKLIT SCROLLING


LCD TOUCH SCREEN INFORMATION/ADVERTISING





*Outdoor  
Fanless  
Display*


32-86 Inch




Case	Material	All aluminum
	Surface treatment	Powder coated
	Front panel	5mm AR glass optical bonding
	Thickness	90mm
	Bezel	36mm, Equal sides
Panel	IP rating	IP66
	LCD panel	LG/BOE/AUO, -20°C~110°C
	Brightness [cd/m²]	3000
	Contrast ratio	3000:1
	View angle	178 (H/V)
Electrical	Response time	5ms
	Brightness adjustable	Auto-light sensor
	Operation system	Android 8.1 (Windows optional)
	CPU	ARM A53 x 4, 1.5Ghz
	DDR size	2G
	EMMC flash	8G (16G optional)
	Ports	HDMI input x 3, USB input x 2, Power x 1

Power Supply	Input Voltage	AC100-240V, ±10% 50/60Hz
	Power consumption	TBD
Security & Protection	Power Supply Protection	Leakage, over-load, over-voltage protection
	Lightning protection	With lightning protection
Functions	Explosion protection of interface	Protection for while reverse connection of the power cause the short-circuit or burn out the device
	OSD rotation	Yes
Operation environment	USB play	Autoplay
	Timing switcher	Yes
Certificate	Language	English, Japanese, French, Portuguese etc.
	Input signal switching	Yes
Lifetime	Storage temperature	-20°C~50°C
	Operation temperature	-20°C~50°C
MTBF	Operation humidity	5%~98%
	including	CE, RoHS, FCC, CB, PSE, IK10
	Lifetime	50000H
	MTBF	60000H





*Outdoor Stretched Display*



Material	All aluminum
Surface treatment	Powder coated
Front panel	6mm AR glass optical bonding
Thickness	Bottom 196mm, top 155mm
Size(W*H*D)	982*326*90mm, 34mm Equal bezel
IP rating	IP65
LCD panel	BOE, 37 inch 1920*540
Brightness (cd/m²)	2500
Contrast ratio	3000:1
View angle	178 (H/V)
Response time	6ms
Brightness adjustable	Auto-light sensor
Operation system	Android 8.1 (Windows optional)
CPU	ARM A53 x 4, 1.5GHz
DDR size	2G
RAM Cache	8G (16G optional)
Ports	HDMI input x 3, USB input x 2, Power x 1

Power Supply	Input Voltage	12V / AC100-240V, ±10% 50/60Hz
	Power consumption	155W
Security & Protection	Power Supply Protection	Leakage, over-load, over-voltage protection
	Lightning protection	With lightning protection
	Explosion protection of interface	Protection for while reverse connection of the power cause the short-circuit or burn out the device
Functions	OSD rotation	Yes
	USB play	Autoplay
	Timing switcher	Yes
	Language	English, Japanese, French, Portuguese etc.
Operation environment	Input signal switching	Yes
	Storage temperature	-20°C~80°C
	Operation temperature	-20°C~80°C
Certificate	Operation humidity	35%~95%
	Including	CE, RoHS, FCC, CB, PSE, IK10
Lifetime	Lifetime	8000h
MTBF	MTBF	6000h




*Functions*

1. Display PIS information
2. Display advertisement
3. Display public information


*Application*

1. Transportation: Bus stops, in-bus, metro, transit center, airports, stations etc.
2. Advertising: Showcase, retail shops, hotels, restaurants etc.



*Outdoor  
Standard  
Display*

32-86 Inch



Case	Material	Aluminum frame, Galvanized back
	Surface treatment	Powder coated
	Front panel	6mm Tempered glass
	Thickness	120mm
	Bezel	40mm Top, left, right side equal
Panel	IP rating	IP65
	LCD panel	LG/BOE/AUO
	Brightness (cd/m <sup>2</sup> )	2500
	Contrast ratio	3000:1
	View angle	178 (H/V)
Electrical	Response time	6ms
	Brightness adjustable	Auto-light sensor
	Operation system	Android 8.1 (Windows optional)
	CPU	A7M A53 x 4, 1.5Ghz
	DDR size	2G
	EMMC flash	8G (16G optional)
	Ports	HDMI Input x 3, USB Input x 2, Power x 1

Power Supply	Input Voltage	AC100-240V, ±10% 50/60Hz
	Power consumption	TBD
	Power Supply Protection	Leakage, over load, over-voltage protection
Security & Protection	Lightning protection	With lightning protection
	Explosion protection of interface	Protection for while reverse connection of the power cause the short-circuit or burn out the device
	OSD rotation	Yes
Functions	USB play	Autoplay
	Timing switcher	Yes
	Language	English, Japanese, French, Portuguese etc.
Operation environment	Input signal switching	Yes
	Storage temperature	-20℃~80℃
	Operation temperature	-20℃~80℃
	Operation humidity	5%~95%
Certificate	Including	CE, ROHS, FCC, CB, PSE, IK10
Lifetime	Lifetime	80000H
MTBF	MTBF	40000H






*Outdoor Touch Display*

*Outdoor Fanless Display*

*Outdoor Stretched Display*

*Outdoor Standard Display*

32-86 Inch






*Outdoor Touch Display*

*Outdoor Fanless Display*

*Outdoor Stretched Display*

*Outdoor Standard Display*

32-86 Inch





WIFI



LCD SCREEN  
DISPLAY




GPS  
FORECASTING




TEMP CONTROL  
COOLING SYSTEM



BATTERY CHARGE  
DISCHARGE




FAULT  
DETECTION



DOOR ALARMING




POWER  
ALARMING




BROKEN-GLASS  
ALARMING



DYNAMIC  
ADVERTISING




AUTOMATIC  
DEHUMIDIFICATION



HIGH BRIGHTNESS  
3000 NIT



SOLAR PANEL



SMART PLATFORM



APP ADLIS SMART

# Outdoor E-paper Display

GIVE YOU A CUP  
LOVE YOU FOREVER

**LONG-TERM THERMAL  
INSULATION**  
DOUBLE LAYER 304 STAINLESS STEEL  
KEEP COOL AND KEEP WARM

ENJOY LIFE WITH YOU



GIVE YOU A CUP  
LOVE YOU FOREVER

## LONG-TERM THERMAL INSULATION

DOUBLE LAYER 304 STAINLESS STEEL  
KEEP COOL AND KEEP WARM

ENJOY LIFE WITH YOU

# Outdoor E-paper Display

13.3"



31.2"



## Applications For:


### Taxi

Information/Advertisement




### Tren / Metro

Information/Advertisement



### Bus Stop

Information/Advertisement



### Charger/Street Light

Information/Advertisement



### Smart Trash/Bin

Information/Advertisement



### Smart Bench/Table

Information/Advertisement





13.3"

## Applications for:

31.2"



### Specifications:

Screen size	13.3 inch
Technology	E-ink black and white
Resolution	1600(H)*1200(V)
Color	16 gray level
Contrast Ratio	12:1
Material	Aluminum Alloy/ Galvanized Plate
Overall Dimensions	W360*H250*D50mm
Installation	Fixed with mounting bracket
Operating Voltage	6~23V DC, with under voltage protection, over voltage protection, reverse connection protection and input voltage detection function
Power Consumption	≤3W
Waterproof Level	IP67

### 1. SDK Solution

1. Provide the e-paper display with IP68 cabinet, with front light optical bonding, provide driver board, power board and cables, no system.
2. Provide SDK for development.
3. Technical support on development.

### 2. Android Solution

1. Provide the e-paper display with IP68 cabinet, with front light optical bonding, provide driver board, power board and cables, Android system. Support remote CMS and monitoring.
2. Provide SDK for development.
3. Technical support on development.

### Specifications:

Screen size	31.2 inch
Technology	E-ink black and white
Resolution	2560(H)*1440(V)
Color	16 gray level
Contrast Ratio	12:1
Material	Aluminum Alloy/ Galvanized Plate
Overall Dimensions	W697.2*H402.8*D40mm
Installation	Fixed with mounting bracket
Operating Voltage	6~23V DC, with under voltage protection, over voltage protection, reverse connection protection and input voltage detection function
Waterproof Level	IP67
Power Consumption	≤3W

# Applications



GARDEN



ZOO



PICNIC PLACE



# Applications



**STREET**



**PRIVATE**



**SWIMMING**



# Applications



CORPORATION



INDOOR



CLEAN



# Applications



PORT



PARK



SPORT CENTER



# Applications



METRO



TRAIN STATION



AEROPORT



## Applications



**OFFICE**



**HOTEL**



**GAS STATION**



**MALL**



**RESTAURANT**



**HOSPITAL**

## Applications



**BANKS**



**EXHIBITIONS**



**COFFEE SHOP**



**MEETING ROOM**



**STORES**



**CLOTHING SHOPS**

## Our Official Distributor



## Client



EUROLAMP®

## Partner



## Smart Products

To reinvent the  
future, we must all  
work together




# Our Products

To fix the problems of tomorrow, we need to be around tomorrow.

Contact us to see all the advantages of our platform and App.  
We adapt our Smart City to your needs.

For more information and prices: [jane@solarbenchchina.com](mailto:jane@solarbenchchina.com)  
[sales@adlissmart.com](mailto:sales@adlissmart.com)

Contact us to see all the advantages to be an official distributor.  
It is not just doing business, it is  
being part of a group of people who care about their partners



## **ADLIS/WEIYIN CORP.**

- [www.adlissmart.com](http://www.adlissmart.com)
- [www.adlis.co.il](http://www.adlis.co.il)
- [www.solarbenchchina.com](http://www.solarbenchchina.com)

Adlis/Weiyin Corporation

Office: Sderot Moriah 104, Haifa – Israel

Office: Asher 4 Kiryat Yam - Israel

Factory: Asher 4 Kiryat Yam – Israel

Factory: 2/F, Building E, Hengchangrong Industrial Park.  
Pinghu Street, Longgang District, Shenzhen City,  
Guangdong Province, China

[sales@adlis.co.il](mailto:sales@adlis.co.il)

[sales@adlissmart.com](mailto:sales@adlissmart.com)

[jane@solarbenchchina.com](mailto:jane@solarbenchchina.com)

[sales@solarbenchchina.com](mailto:sales@solarbenchchina.com)